

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

<b>UNIFORM HAZARDOUS WASTE MANIFEST</b>		1. Generator's US EPA ID No. <b>WAD 980 738546</b>		Manifest Document No. <b>66116</b>		2. Page 1 of 1		Information in the shaded areas is not required by Federal law.							
3. Generator's Name and Mailing Address <b>ALASKAN OFFICE WORKS 3200 GLADES RD. SEATTLE WA 98134</b>						A. State Manifest Document Number									
4. Generator's Phone (206) 623-5800						B. State Generator's ID									
5. Transporter 1 Company Name <b>SAFETY-KLEEN CORP.</b>						6. US EPA ID Number <b>WAD 000712042</b>									
7. Transporter 2 Company Name						8. US EPA ID Number									
9. Designated Facility Name and Site Address <b>SAFETY-KLEEN CORP. 6303 212TH ST SW SUITE C LYNNWOOD WA 98036</b>						10. US EPA ID Number <b>7-092-01</b> <b>WAD 000712042</b>									
						C. State Transporter's ID									
						D. Transporter's Phone <b>206 775-7030</b>									
						E. State Transporter's ID									
						F. Transporter's Phone									
						G. State Facility's ID									
						H. Facility's Phone <b>206 775-7030</b>									
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)						12. Containers		13. Total Quantity		14. Unit Wt/Vol		15. Waste No.			
a. <b>WASTE COMBUSTIBLE LIQUID, N.D.S. (MINERAL SPIRITS) NA1993 PGIII (D001) (ERG#27)</b>						No. <b>1</b>		Type <b>DM</b>		<b>13</b>		<b>G</b>			
b.															
c.															
d.															
J. Additional Descriptions for Materials Listed Above <b>(A) D018</b>						K. Handling Codes for Wastes Listed Above									
15. Special Handling Instructions and Additional Information <b>EMERGENCY RESP #708-888-4660 24HR. 7-092-01-4131 PP#- 266116</b> <b>IF UNDELIVERABLE, RETURN TO GENERATOR</b> <b>SKDOT# A: 501 B: C: D:</b>															
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.															
Printed/Typed Name <b>George A. Thomsen</b>						Signature <i>George A. Thomsen</i>						Date <b>3/2/93</b>			
17. Transporter 1 Acknowledgement of Receipt of Materials						Printed/Typed Name <b>JH Smith</b>						Signature <i>JH Smith</i>		Date <b>3/2/93</b>	
18. Transporter 2 Acknowledgement of Receipt of Materials						Printed/Typed Name						Signature		Date	
19. Discrepancy Indication Space															
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.															
Printed/Typed Name <b>Beth Matthews</b>						Signature <i>Beth Matthews</i>						Date <b>3/2/93</b>			

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

90290

6P00189

MAR 4 1993

ORIGINAL-RETURN TO GENERATOR

6

AKC-0018385

Public reporting burden for this collection of information is estimated to average 37 minutes for generators, 15 minutes for transporters, and 10 minutes for disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding this burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-223, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

INSTRUCTIONS FOR COMPLETION OF THIS FORM, REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.





Public reporting burden for this collection of information is estimated to average 37 minutes for generators, 15 minutes for transporters, and 10 minutes for disposal facilities. This includes time for reviewing instructions, gathering data, and completing and reviewing the form. Send comments regarding this burden estimate, including suggestions for reducing this burden, to: Chief, Information Policy Branch, PM-229, U.S. Environmental Protection Agency, 401 M Street, SW, Washington, DC 20460; and to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503.

7-92-01

Please print or type. (Form designed for use on elite (12-pitch) typewriter.)

Form Approved. OMB No. 2050-0039. Expires 9-30-94

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. WA0980738546	Manifest Document No. 66116		2. Page 1 of 1	Information in the shaded areas is not required by Federal law.		
3. Generator's Name and Mailing Address ALASKAN COPPER WORKS 3200 6TH AVE S.E. SEATTLE WA 98134					A. State Manifest Document Number			
4. Generator's Phone (206) 623-5800					B. State Generator's ID			
5. Transporter 1 Company Name SAFETY-KLEEN CORP.			6. US EPA ID Number WA000712042		C. State Transporter's ID			
7. Transporter 2 Company Name			8. US EPA ID Number		D. Transporter's Phone 206 775-7036			
9. Designated Facility Name and Site Address SAFETY-KLEEN CORP. 6303 212TH ST SW SUITE C LYNNWOOD WA 98036			10. US EPA ID Number 7-092-01 WA000712042		E. State Transporter's ID			
					F. Transporter's Phone			
					G. State Facility's ID			
					H. Facility's Phone 206 775-7036			
11. US DOT Description (Including Proper Shipping Name, Hazard Class and ID Number)					12. Containers No.	13. Total Quantity	14. Unit Wt/Vol	Waste No.
a. X WASTE COMBUSTIBLE LIQUID, N.O.S. (MINERAL SPIRITS) NA1993 PGII (2001) (ERG027)					1	13	G	0001 0035
b.								
c.								
d.								
J. Additional Descriptions for Materials Listed Above (4) 0018					K. Handling Codes for Wastes Listed Above			
15. Special Handling Instructions and Additional Information EMERGENCY RESP# 706-888-4660 24HR. 7-092-01-4131 PPS- 26616 IF UNDELIVERABLE, RETURN TO GENERATOR SK0078 A: S01 B: C: D:								
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable International and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.								
Printed/Typed Name Gerald A. Thompson					Signature 		Date Month Day Year 3 2 93	
17. Transporter 1 Acknowledgement of Receipt of Materials					Signature 		Date Month Day Year 3 2 93	
18. Transporter 2 Acknowledgement of Receipt of Materials					Signature		Date Month Day Year	
19. Discrepancy Indication Space								
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.								
Printed/Typed Name					Signature		Date Month Day Year	

EPA Form 8700-22 (Rev. 9-88) previous editions obsolete

SP00 153

SAFETY-KLEEN CORP.

90290

6

GENERATOR COPY

INSTRUCTIONS FOR COMPLETION OF THIS FORM, REFER CODE OF FEDERAL REGULATIONS, 40, PART 262.20.

AKC-0018386



## NOTICE OF LAND DISPOSAL RESTRICTION OF WASTE

TO: SAFETY-KLEEN CORP.  
(DESIGNATED FACILITY)EPA ID NO. WA000 712042  
(DESIGNATED FACILITY)ADDRESS: 6303-212th St. SW Lynnwood WA 98036

## OPTION A

Under manifest number 66116, the generator noted below is shipping to you a waste determined to be restricted under 40 CFR Part 268. In accordance with 40 CFR Part 268.7, the generator hereby provides notice that the waste is restricted from land disposal. A copy of this form must be kept by the generator and facility for five (5) years from the date of waste shipment.

## OPTION B

SQG CUSTOMERS ONLY  
(PARTS WASHER AND  
IMMERSION CLEANER)  
609 AND 699

In accordance with 40 CFR 268.7, the generator hereby provides notice that the waste is restricted from land disposal. I am a small quantity generator (100-1,000 kg/mo) in accordance with 40 CFR 268.7. This notice applies to all waste shipments under my service contract with Safety-Kleen Corp. It covers today's shipment on manifest No. \_\_\_\_\_, or sales/service acknowledgement No. \_\_\_\_\_, and all subsequent shipments. A copy of this notice will be maintained with the service contract(s) or sales/service acknowledgement(s) for five (5) years beyond the termination of the service contract.



## WASTE NAME

EPA \*  
WASTE  
CODETHE WASTE MAY CONTAIN  
THE FOLLOWING  
RESTRICTED CONSTITUENTSTREATMENT STANDARD (mg/l)  
OR METHOD  
(FOR NON-WASTE WATER)PLEASE  
CHECK  
THE  
APPROPRIATE  
BOXES☒ Waste Mineral Spirits  
(105)D001,  
D018,  
D039,Ignitable Liquid (High TOC Subcategory)  
Halogenated Organic Compounds (HOC's)  $\geq$  1000 mg/l  
Benzene  
TetrachloroethyleneIncineration (INCIN), fuel substitution (FSUBS)  
or recovery (RORGS) (40 CFR 268.42) (non-waste water)  
INCIN (40 CFR 268.42) (non-waste water)  
Not Established  
Not Established☐ Waste Mineral Spirits  
(140)

D001,

Ignitable Liquid (High TOC Subcategory)

INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)

☐ Waste Mineral Spirits  
(sludges from Safety-Kleen  
Service Center Operations)D001,  
D006,  
D007,  
D008,  
D039,All of the above, plus:  
— Cadmium  
— Chromium  
— Lead  
— Tetrachloroethylene1.0 (non-waste water)  
5.0 (non-waste water)  
5.0 (non-waste water)  
Not Established☐ Waste Compound  
Cleaning Liquid/  
Immersion cleaner 609F004,  
F002,  
F002,  
D006,  
D007,  
D008,  
D022,Cresylic Acid  
1, 2-dichlorobenzene  
Methylene chloride  
— Cadmium  
— Chromium  
— Lead  
— Chloroform3.2 (non-waste water)  
6.2 (non-waste water)  
33.0 (non-waste water)  
1.0 (non-waste water)  
5.0 (non-waste water)  
5.0 (non-waste water)  
Not Established☐ Waste Compound  
Cleaning Liquid/  
Immersion Cleaner 699D006,  
D007,  
D008,  
D018,  
D021,  
D027,  
D039,  
D040,HOC's  $\geq$  1000 mg/l  
— Cadmium  
— Chromium  
— Lead  
— Benzene  
— Chlorobenzene  
— 1, 4-Dichlorobenzene  
— Tetrachloroethylene  
— TrichloroethyleneINCIN (40 CFR 268.42) (non-waste water)  
1.0 (non-waste water)  
5.0 (non-waste water)  
5.0 (non-waste water)  
Not Established  
Not Established  
Not Established  
Not Established☐ Waste Perchloroethylene

F002,

Tetrachloroethylene

5.6 (non-waste water)

☐ Waste Trichlorotrifluoroethane

F002,

Trichlorotrifluoroethane

28.0 (non-waste water)

☐ Waste 1,1,1 Trichloroethane

F002,

1, 1, 1 Trichloroethane

5.6 (non-waste water)

☐ Waste Mineral Spirits  
(Dry Cleaning)D001,  
D039,Ignitable Liquid (High TOC Subcategory)  
TetrachloroethyleneINCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)  
Not Established☐ Waste Paint  
Related MaterialF003,  
F005,  
F003,  
F005,  
F003,  
F003,  
D001,  
D006,  
D007,  
D008,Acetone  
Methyl Ethyl Ketone  
Methyl Isobutyl Ketone  
Toluene  
Xylene  
Methanol  
Ignitable Liquid (High TOC Subcategory)  
Cadmium  
Chromium  
Lead (TOC Subcategory)160.0 (non-waste water)  
36.0 (non-waste water)  
33.0 (non-waste water)  
28.0 (non-waste water)  
28.0 (non-waste water)  
0.75 (non-waste water)  
INCIN, FSUBS, or RORGS (40 CFR 268.42) (non-waste water)  
1.0 (non-waste water)  
5.0 (non-waste water)  
5.0 (non-waste water)☐ Waste AntifreezeD008,  
D039,Lead  
Tetrachloroethylene5.0 (non-waste water)  
Not Established

The constituent composition is based on knowledge of the waste (via Material Safety Data Sheets for the chemical(s) used, and the process which created the waste).

\*These treatment standards do not preclude reclamation prior to final disposition.

Generator Company: ALASKAN Copper WorksEPA ID NO.: WA000 980738546

Generator's Signature

X

Date:

3-2-93

Printed Name and Title of Generator:

Gerald A. ThompsonEnviro. Asst.

Safety-Kleen Corp. manages the above waste through its recycling and fuels programs in accordance with all applicable elements of the land disposal restrictions.

PART NO. 1328 (11/92)

GENERATOR

AKC-0018387